

Openings in Steel Amarr Residential Garage Doors





Openings in Steel. Express your style in steel. Amarr garage doors make it happen.

Exceptional performance, low maintenance and durability, available in eight steel collections.

From classic carriage house designs to contemporary flush panels, get a striking look that stands the test of time.

- 1 COLORS
- 2 NORTHWOODS
- 4 CLASSICA® FLUSH
- 6 CLASSICA FULL VIEW
- 8 CLASSICA
- 10 CLASSICA & DECORATIVE HARDWARE OPTIONS
- 12 CARRIAGE COURT
- 14 CARRIAGE COURT OPTIONS
- 16 DESIGNER'S CHOICE
- 18 HILLCREST
- 20 HERITAGE®
- 22 OLYMPUS
- 24 LINCOLN
- 26 WINDOW & GLASS OPTIONS
- 27 COLOR ZONE & MOSAIC WINDOW OPTIONS
- 28 CONSTRUCTION OPTIONS
- 29 SPECIFICATIONS

AMARR COLORS

The garage door is the largest and most visible door on your home so choosing the right color is an important decision. Explore the many color options Amarr offers.

PLANK



CEDAR (CEP)



ASPEN GRAY (AGP)

DUAL-DIRECTIONAL WOODGRAIN



WEATHERED GRAY (WZ)



WALNUT (NT)



MAHOGANY (MY)



Bead Board design in Weathered Gray with Thames window inserts and Maple Creek handles and hinges



SOLID



TRUE WHITE (TW)



ALMOND (AL)



WICKER TAN (WK)



SANDTONE (ST)



TERRATONE



DARK BROWN (DN)



CHARCOAL GRAY (EF)




BLACK (BL)

COLOR ZONE



Amarr Color Zone











AMARR NORTHWOODS

The printed horizontal plank design on a ribbed section creates depth, texture and subtle dimension.

A perfect complement to modern, mid-century modern, and traditional architectural styles.

The multi-hued, digitally printed woodgrain pattern gives a more genuine wood appearance. Available with either traditional or mosaic window placement.



The Amarr Northwoods collection is a traditional door offered in Ribbed panel design in two digitally printed plank color options.

See page 29 for complete specifications.

NW3138

Triple-Layer: 1-3/8" Steel + Insulation +Steel





Triple-Layer: 2" Steel + Insulation + Steel: 24ga



Available September 2024





Cedar with Long Panel Mosaic Window Option







WINDOWS

Choose from standard Short Panel or Long Panel windows with color matched frames or the new SlimLine windows with Black frame. See page 26 for glass options.

SHORT PANEL





LONG PANEL





SLIMLINE

COLORS

Pattern may vary from sample shown.





ASPEN GRAY (AGP)



CLASSICA® FLUSH

Sleek and sophisticated. Amarr Classica Flush garage doors complement any modern architectural style home.

The flush design is ideal for homeowners who want a contemporary look with the taller panels of a 3-section door. Polyurethane insulation is energy efficient and helps moderate garage temperatures year round.



Unique three-section tall door with large windows allow maximum natural lighting. See page 29 for complete specifications.

CL3000 Triple-Layer: Steel+Insulation+Steel



Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.

See page 10 for window and glass options.







CLASSICA° FULL VIEW

Bring natural lighting indoors. The three-section tall Amarr Classica Full View garage door allows maximum natural lighting to your interior space with the largest windows available in any Amarr steel garage door. The modern design combined with polyurethane insulation provides years of energy efficient performance. Improve your view of the world with an Amarr Classica Full View door.



Unique three-section tall door with large windows allow maximum natural lighting. See page 29 for complete specifications.


CL3000


Triple-Layer: Steel + Insulation + Steel

Decorative Windows

Choose single-pane or insulated tempered glass options to best suit your needs.

See page 10 for window and glass options.







CLASSICA®

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel.

The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.



Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 29 for complete specifications.

Northampton with Thames Windows (N10)



CL1000

Single-Layer: Steel

CL2000

Double-Layer: Steel + Insulation



4.000

CL3000 Triple-Layer: Steel + Insulation + Steel




R-value 13.35

Decorative Windows & Hardware


Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, adds character to your door.

See pp. 10-11 for glass, window, and hardware options.

Bordeaux with Closed Square (B2)



Santiago with Seine Windows (S8)



Tuscany with Closed Arch (T1)



Lucern with Rhine Windows (L7)



DESIGNS
















Not available

ctual paint colors may vary from samples shown



COLORS























Amarr Color Zone
See page 27 for

^{*}Odd heights not available in CL1000/CL2000.

CLASSICA & DECORATIVE HARDWARE OPTIONS

TWO-TONE PAINT OPTIONS*

PANEL TRUE WHITE ALMOND WICKERTAN SANDTONE TERRATONE CHARCOAL GRAY DARK BROWN BLACK TRUE WHITE SANDTONE SANDTON





*Price upcharge applies.

TOP SECTIONS







CLOSED DOUBLE ARCH • Available for TUSCANY (T1D), SANTIAGO (S1D), LUCERN (L1D), VALENCIA (V1D)



CLOSED ARCH • NORTHAMPTON (N1)



CLOSED SQUARE • NORTHAMPTON (N2)



CLOSED ARCH • BORDEAUX (B1)



CLOSED SQUARE • BORDEAUX (B2)



CLOSED SQUARE • CORTONA (C2)



JARDIN (75)*



TRELLIS (76)*



*Tempered obscure glass with baked-on ceramic design.

Design visibility varies due to lighting.

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.





Santiago design in Dark Brown/Terratone



NOINSERT



DANUBE (4)†



MADEIRA (5)†



NILE (6) †



RHINE (7) †



SEINE (8) †



THAMES (10) †



†Window inserts shown on Clear glass.

Design also available with Obscure, Frost or Dark Tint glass.

GLASS OPTIONS

Insulated glass* available in Clear, Frost and Dark Tint.

CLEAR (C)



OBSCURE (0)*

FROST (WF)*







*Price upcharge applies.

DECORATIVE HARDWARE & LOCK

ALUMINUM

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage¹ and Hillcrest collections.



10-1/2" HANDLEST 17" STRAP HINGES WITH CLAVOS*



CANTERBURY





 ${}^{\star} \text{Hinges with Clavos not recommended for arched openings. } {}^{\dagger} \text{Not for use with high lift installations.}$


STAMPED STEEL

Available for Amarr Carriage Court, Classica, Designer's Choice, Heritage¹ and Hillcrest collections.



MAGNETIC ABS VINYL

Available for Amarr, Classica, Designer's Choice, Heritage¹ and Hillcrest collections.





¹Carriage house designs only. [‡]Traditional designs only.



CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway.

Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy efficiency, noise reduction and innovative design to your home.



A wide variety of unique carriage house designs available in four color options.


See page 29 for complete specifications.

CC4000 Four-Layer: Overlay + Steel + Insulation + Steel



Decorative Windows & Hardware Choose from a variety of optional decorative windows & hardware to match your home's design.

See page 11 for window and hardware options.



DESIGNS AVAILABLE WITH WINDOWS NOT AVAILABLE WITH WINDOWS Laurelbay(LB) Bradberry (BB) Fairfield (FF) Pinetop (PT) Ashley (AL) Charlton (CT) Middleton (MT) Greenbriar (GB) Darby (DB) Kensington (KT) Seabrook (SB) Newberry (NB) Tanglewood (TW) Arcadia (AR)* Brookland (BL)* Magnolia (MG)*

* Closed Square on

CARRIAGE COURT OPTIONS

TOP SECTIONS Available with Clear, Obscure or Insulated glass. $A vailable for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT and SEABROOK with CLEAR, OBSCURE^* or INSULATED^* glass. \\$ *Price upcharge applies. CLOSED SQUARE (104) CLOSED ARCH (105) CLEAR SQUARE (115) CLEAR ARCH (114) 3 LITE SQUARE (106) 3 LITE ARCH (110) 4 LITE SQUARE (107) 4 LITE ARCH (111) 6 LITE SQUARE (112) 6 LITE ARCH (108) 8 LITE SQUARE (113) 8 LITE ARCH (109) Available for ARCADIA†, ASHLEY, BROOKLAND†, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA†, MIDDLETON, NEWBERRY, RAVENWOOD† and TANGLEWOOD †Closed Square only. CLOSED SQUARE (104) CLOSED ARCH (105)

CONSTRUCTION



CC4000

Four-Layer: Overlay + Steel + Insulation + Steel

- 2" thick door with polystyrene insulation and steel interior
- Built with 1-3/8" steel section and 5/8"composite overlay trim

OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Square edge design
- Sustainable, green building material
- · Resists rot, decay, and fungal growth
- · Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with square edges
- Available in Clear, Clear Insulated* or Obscure* glass.

Price upcharge applies.

COLORS

Actual paint colors may vary from samples shown.



TRUE WHITE / WHITE (W1)



ALMOND / WHITE (A1)



SANDTONE / WHITE (S1)




WICKER TAN / WHITE (K1)

Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings.

DOOR WIDTHS

Only available in widths shown; not available in odd widths





8', 9' & 10' WIDE





Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

DOOR HEIGHTS

Available in 6'6" – 10' heights in 3"increments†







†Rosemont not available in 8'3", 8'9", 9'3" and 9'9"; Tanglewood not available in 6'3" and 7'3" door heights.

WARRANTY

- · Lifetime limited warranty on finish
- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- 5-year limited warranty on overlay delamination

Newberry design with Closed Square in Sandtone/White with Canterbury decorative handles





DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models.

With triple-layer construction and superior insulation R-value of 19.40*, these durable,
low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Designer's Choice model is available in three carriage house designs and eight color options.

See page 29 for complete specifications.

DC3138*

1-3/8" Triple-Layer: Steel + Insulation + Steel

*DC3138 only available in Bead Board design in 8', 9' and 16' wide doors.

DC3138 ♥ U-factor .24

DC3200

2" Triple-Layer: Steel + Insulation + Steel

DC3200† ₩ U-factor .19 † True White Bead Board only. 13.35 R-value for all other panels and colors.

[‡]Available for DC3200 only.

Decorative Windows & Hardware

Choose from DecraTrim inserts or DecraGlass[†]

windows to best coordinate with your home.

See page 26 for window and glass options.

For decorative hardware, see page 11.

Long Bead Board with Stockton DecraTrim (LPBB20)







Recessed Closed (RE)






Recessed with Moonlite DecraTrim (RE24)



DESIGNS



Long Bead Board (LPBB)



*DC3138 only available in Bead Board design in 8', 9' and 16' wide doors.

COLORS

















Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.





DC3138 only available in True White and Color Zone.





HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles.

You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.



The Amarr Hillcrest collection is available in three carriage house designs with a wide range of color options.

See page 29 for complete specifications.

Long Bead Board with Closed Square (LPBB)

HI1000

Single-Layer: Steel

HI2000

Double-Layer: Steel + Insulation



R-value 6.64

HI3138

1-3/8" Triple-Layer: Steel + Insulation + Steel



R-value 6.48

H13000

2" Triple-Layer: Steel + Insulation + Steel



R-value 9.05

Bead Board with Waterford DecraTrim (BB25)

Decorative Windows & Hardware

Choose DecraTrim window inserts or DecraGlass

windows to coordinate with your home's design

along with optional decorative hardware.

See page 26 for window and glass options.

For decorative hardware, see page 11.



Recessed with Stockton DecraTrim (RE20)



Bead Board with Cascade DecraTrim (BB23)



Recessed with Frost Glass (REWF)



DESIGNS







COLORS























Actual paint colors may vary from samples shown.
Price upcharge applies to all colors except True White.















WEATHERED GRAY WALNUT (WZ) (NT)



See page 27 for

HILLCREST





HERITAGE®

Style and beauty that stand the test of time. Choose from traditional or carriage house designs to create the steel garage door you always wanted.

The Amarr Heritage collection provides a low-maintenance, 2" thick steel door with a lifetime warranty. Great looks for years to come.



The Amarr Heritage collection is available in a variety of traditional and carriage house panel designs and colors.

See page 29 for complete specifications.

Flush Panel (FP)* with SlimLine Clear Insulated Windows

HR1000

Single-Layer: Steel

HR2000

Double-Layer: Steel + Insulation



R-value 6.64

HR3000

Triple-Layer:



Short Panel with Short Panel Obscure Windows (SP71)

Decorative Windows & Hardware

Flush and Ribbed panel designs.

Choose from DecraGlass, DecraTrim window

inserts or SlimLine windows to coordinate with your home. SlimLine windows available for HR3000

See page 26 for window and glass options. For

decorative lock and hardware options, see page 11.



Steel + Insulation + Steel



Long Panel with Moonlite DecraTrim (LP24)



Recessed with Thames DecraTrim (RE30)







DESIGNS

CARRIAGE HOUSE

Bead Board (BB)









TRADITIONAL

Short Panel (SP)





MOSAIC WINDOW OPTIONS



*Available in HR3000 only.

COLORS

















With Mosaic Window Options for traditional designs, you decide the number and location of windows to create MAHOGANY See page 27 for (MY) more information the door design you want. Visit amarr.com/mosaic

for design inspirations.

*Available Summer 2024, Woodgrain finishes are dual directional for all panel designs.






OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall.

With triple-layer construction and superior insulation R-value of 19.40*, these durable,

low-maintenance doors give you the ultimate in quiet operation and energy efficiency.



The Amarr Olympus model is available in Short, Long, and Flush panel designs and your choice of eight color options.

See page 29 for complete specifications.

Short Panel with Prairie DecraTrim (SP21)

OL3138*

1-3/8" Triple-Layer: Steel + Insulation + Steel

*OL3138 only available in Short and Flush panel designs in 8', 9' and 16' wide doors.



R-value 14.46

OL3200

2" Triple-Layer: Steel + Insulation + Steel

† Short Panel True White and Flush Panel True White and Black only. R-value rating for other colors and panels 13.35; U-factor rating currently unavailable for all other colors and panels.

Long Panel with full Long Panel Windows (LP)



R-value 19.40

Decorative Windows

Choose from DecraTrim inserts or DecraGlass[†] windows to best coordinate with your home.

See page 26 for window and glass options.

[‡]Available for OL3200 only.

Long Panel with Moonlite DecraTrim (LP24)







Short Panel with Heartland DecraGlass (SP70)



Flush Panel with Mosaic Clear Windows (FPO)



DESIGNS



*OL3138 only available in Short and Flush Panel designs in 8', 9' and 16' wide doors.

Flush Panel (FP)*

OL3138 in True White and Color Zone only.
OL3200 in True White, Black and Color Zone only.

Long Recessed (LR)†

MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



COLORS





















Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.











See page 27 for more informatio

OL3138 only available in True White and Color Zone.



LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware.

Along with a variety of decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.



The Amarr Lincoln collection is a traditional door offered in Short, Long, Flush, or Ribbed panel designs and a wide range of color options.

See page 29 for complete specifications.

Short Panel with Victorian DecraGlass (SP54)

LI1000

Single-Layer: Steel

LI2000

Double-Layer: Steel + Insulation



LI3138

1-3/8" Triple-Layer: Steel + Insulation + Steel



L13000

2" Triple-Layer: Steel + Insulation + Steel



Decorative Windows

Choose from DecraTrim window inserts, DecraGlass, or SlimLine windows to coordinate with your home's design. SlimLine windows only available for LI3138/LI3000 Flush and Ribbed panel designs.

See page 26 for window and glass options.

Flush Panel (FP) with SlimLine Clear Insultated Windows



Long Panel with Cascade DecraTrim (LP23)




Ribbed Panel (RP) with Long Panel Clear Windows




Short Panel with Prairie DecraTrim (SP21)




DESIGNS



Long Panel (LP)







MOSAIC WINDOW OPTIONS

With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



Actual paint colors may vary from samples shown. Price upcharge applies to all colors except True White.

COLORS


























^{*} Available in LI1000/LI2000 Flush Panel with Stucco texture.

WINDOW & GLASS OPTIONS

Visit amarr.com and access the Amarr Door Designer to view specific designs in various architectural styles.



Flush Panel design in Black with Obscure glass Mosaic Window Option



COLOR ZONE & MOSAIC WINDOW OPTIONS

COLOR ZONE



Embrace your inner designer. Amarr's Color Zone is a factory-applied option available on most steel garage doors. This color option that allows homeowners to color match the exterior features of their homes from shutters and trim to their front door. For the commercial market, Amarr Color Zone creates a unique lasting first impression on our wide selection of industrial doors.

- Available on all* Amarr residential or commercial steel overhead doors up to 20' wide.
- In a multi-step process, your chosen color is applied as a top coat to Amarr pre-painted, galvanized steel sections giving your door one more layer of protection from the elements.
- Sherwin-Williams® SnapDry™ paint is resistant to dirt, fingerprints, and UV weathering.
- Choose from more than 800 approved Sherwin-Williams SnapDry paint colors. Approved list is at amarr.com/amarr_color_zone.
- Your local Sherwin-Williams store can provide you with paint chips of selected colors to help you decide.





MOSAIC WINDOW OPTIONS

Release your creativity with Mosaic Window options. Give your contemporary, mid-century modern or transitional home a fresh look that is uniquely you. Create a unique look by choosing how many windows you want and where to place them! Just lke your home, your garage door should reflect your personal style. Three easy decisions give you the garage door of your dreams.

- Choose your door available with traditional collections; Heritage, Lincoln, Northwoods, and Olympus.
- Choose your design available with all panel designs; Short, Long, Flush* and Ribbed† panels.
- Create your design with SlimLine, short or long panel windows in clear, frost, obscure or dark tint glass.







*Available in Heritage HR3000, Lincoln L11000/L12000/L13138/L13000 and Olympus OL3200 only.

[†]Available in Heritage HR3000, Lincoln L13138 and Northwoods NW3138 only.

^{*} Not available on Amarr Carriage Court

AMARR Steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel. CONSTRUCTION

SINGLE-LAYER:

Steel

Amarr Classica, Heritage, Hillcrest, & Lincoln

- Heavy-duty exterior steel
- · Durable, reliable, low maintenance



DOUBLE-LAYER:

Steel + Insulation

Amarr Classica, Heritage, Hillcrest, & Lincoln

- Heavy-duty exterior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation with vinyl backing
- Energy efficient
- Quiet operation



TRIPLE-LAYER:

Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Heritage, Hillcrest, Lincoln, & Olympus

- Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene or polyurethane thermal insulation
- Superior energy efficiency
- Extra quiet operation













FOUR-LAYER: Overlay + Steel + Insulation + Steel

**** All panels and colors except True White Bead Board.

† Short Panel True White and Flush Panel True White and Black only.

† R-value rating for other colors and panels 13.35 except Short Panel
True White and Flush Panel True White and Black, U-factor rating
currently unavailable for all other colors and panels.

Amarr Carriage Court

True White Bead Board only

- · Heavy-duty exterior and interior steel
- Durable, reliable, low maintenance
- Environmentally safe polystyrene thermal insulation
- Energy efficient
- Extra quiet operation







VERIFIED THERMAL PERFORMANCE

Amarr participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of a complete sectional door assembly.

What is U-factor?

U-factor is a measurement of heat transfer or flow through a material, in our case, a sectional door. A lower U-factor rating indicates less heat transfer and better thermal performance.

Why U-factor?

The U-factor values are determined by the testing of a complete door assembly, including insulation, thermal breaks, and window variables and are more accurate than calculated ratings for only a portion of an insulated section.



This symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program. For the best thermal performance, select a door with a low U-factor (less heat transfer) or high R-value (more heat resistance) rating.

SPECIFICATIONS

WERS 3 3 S-Steel • • • • • • • • • • • • • • • • • •			כר כר	10	000	o ci o	0	н	H IH	IIH IIH	EIH HEE	18H 83H	HES	0F3.	OF35	רווס רואכ	רוכם	LEIJ	F130
AVERS 3 3 S-Steel • • • • • • • • • • • • • • • • • •													-			3		į	
AVERS 3 3 S-Steel • • • • • • • • • • • • • • • • • •		_						i				•		M	• 20	• 3	•	•	. 0
VERS 3 3							Ī			H				WL	TW/BL				
AVERS 3 3													•					•	٠
WERS 3 3 S															•				
WERS 3 3 Steel • • • • • • • • • • • • • • • • • •	Full View	w 7 Designs	12 7 Designs	7 Designs	18 Designs	1 Design	3 Designs	3 Designs 3	3 Designs 3 C	3 Designs 3 De	3 Designs 3 De	3 Designs 3 Designs	igns 3 Designs	Sul					
Steet subation + Steet	e	-	2	8	4	6	8	-	2	3	8	1 2	60	en	en	-	2	8	m
• • • • • • • • • • • • • • • • • • •		•							2.5					_		•			
rsulation + Steel	•			•					•3				•	٠	•				•
					٠		E	ı				-							
DOOR THICKNESS [1-3/8"(3.5cm) 2"(5.1cm) 2"(5.1cm)	m) 2"(5.1cm)	n) 2" (5.1cm)	n) 2"(5.1cm)	2"(51cm)	2*(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	2"(5.1cm) 2"	2"(5.1cm) 1-3/8	1-3/8"(3.5cm) 2" (E	2"(5,1cm) 2"(5	2"(5.1cm) 2"(5.1cm)	lcm) 2"(5.1cm)	m) 1-3/8"(3.5cm)	m) 2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	2" (5.1cm)
INSULATION 🥞 Polystyrene' Polystyrene' Polyurethane	hane Polyurethane	ane	Polystyrene	Polyurethane	Polystyrene	Polyurethane	Polyurethane	Poly	Polystyrene ¹ Poly	Polystyrene ¹ Polys	Polystyrene ¹	Polystyrene	rene¹ Polystyrene	ene! Polyurethane	ne Polyurethane	9	Polystyrene ¹	Polystyrene ¹	Polystyrene
U-FACTOR 0.26 0.22			0.32	0.22	0.26	0.24	0.19*		0.32	0.27 0	0.23	0.43	13 0.26	0.24	0.19	0.32		0.27	0.23
R-VALUE? 6.48 9.05 13.35	13.35		6.64	13.35	6.48	14.46	19.40713.35		6.64	6.48	9.05	6.64	9.05	14.46	19.40 13.35	#37	6.64	6.48	9.05
KNESS			H													3			
27/27 ga	ga 25/27 ga	_	24 ga	25/27 ga	27/27 ga	27/27 ga	27/27 ga	25 ga	25 ga 27	27/27 ga 27/7	27/27 ga 24	100		ga 27/27 ga		25 ga	Z5 ga		27/27 ga
zmm uoi/u4zmm		шш 0.0 шш	+	U.35/U.42/IIII							0.0	0.0	/Ign		IIII 0.42/0.42MM			MM12	0.42/0.42
		•	•		×									•	•	•	•		
PAINTED END STILES								8	8					•		1000			١.
						•	٠.							200	٠.				
BOTTOM WEATHER SEAL																			
Steel Retainer •	•	٠	•	٠			٠.								**•	٠	٠		
iner		4	_			00		1	+	+		+	•		*			0	80
DECORATIVE WINDOW OPTIONS	•	•	•	٠									•	•	•				•
	22		54					2	22										
3/32" (0.24cm) Single Strength	L	L	L									•	•			٠	٠		٠
1/8" (0.32cm) Tempered 2X Strength	٠	٠	•	•															
Insulated (Clear, Frost & Dark Tint)	•			•	Clear only		5. 0 0			•	Vovi.		•	300					•
re	•	•	•	* 1	•			• 0					•	•	•	•	•	•	
	•	٠	•	•				•						•	•	•	•		
Dark Tint •	•	•	•	•										•	•	•	•		•
DECORATIVE HARDWARE OPTIONS		•	•	•				•	•	•			•						
Town White (TWA)	_	•	•	•	-		,	,	,			ľ			3	-	1	1	1
	•		•	٠										•		•			
AKO	•	•		•	•										•	•			•
Sandtone (ST)	•	•	•	٠	•			5. • 3	N. T.	•		•			•	•	٠	•	•
	٠	•	•	٠								•	H			•		•	
Dark Brown (DN)	٠	•	٠	٠				•		•	•		•		•	٠	٠	٠	٠
ay (EF)	•	•	٠	•			Ī					+		_		٠		•	•
Black (BL) Golden Dak (DK)	• •	•	•						• :						•	•	•		•
Walnut (NT)	8 ·	•	•	11 .											•	٠	•	٠	•
Mahagany (MY)	•	•	٠	٠					•	•		•	•			٠	•	•	٠
Weathered Gray (WZ)	٠	٠	૽	•												٠	•		٠
•		4	4				Ì	1	+	+	-	+	+	4		_	j	ĺ	
Aspen Gray (AGP)	•	•													•				
YS 12	20	911	136	1.00	Lifetime	Lifetime	Lifetime	15 Years 2	SJE	ou.	ou.	ne Life	ime I ifetime	1.86	1.0	in.	25 Vears	Lifetime	Lifetime
RE WTY 3 years Lifetime	-	Н	-	-	5 Years	5 Years	Lifetime		Н	Н	Н					Н	2 Years	3 Years	3 Years





Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Visit amarr.com for additional products, such as Amarr by Design custom wood carriage house doors, specialty doors, garage flooring, accessories, and a full line of Amarr commercial sectional, rolling slat, and rolling steel doors.

Your Local Amarr Dealer:

Amarr Company

165 Carriage Court Winston-Salem, NC 27105 800.503.DOOR www.amarr.com





Amarr, Classica and Heritage as words and logos are trademarks belonging to Amarr Company, owned by ASSA ABLOY.

Door specifications and technical data subject to change without notice.

Sectional door products from Amarr Company may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©ASSA ABLOY Printed in USA Form #6450824/30M/SPR